# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number:	WO 99/32627
C12N 15/12, C07K 14/705, 16/28, G01N 33/50, C12N 15/62, G01N 33/53, C12Q 1/68	A2	(43) International Publication Date:	1 July 1999 (01.07.99)

(21) International Application Number:

PCT/US98/27400

(22) International Filing Date:

23 December 1998 (23.12.98)

(30) Priority Data:

60/068,690

23 December 1997 (23.12.97) US

(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application

US

60/068,690 (CIP)

Filed on

23 December 1997 (23.12.97)

(71) Applicant (for all designated States except US): THE UNITED STATES OF AMERICA, represented by THE SECRETARY, DEPARTMENT OF HEALTH AND HUMAN SERVICES [US/US]; Office of Technology Transfer, National Institutes of Health, Suite 325, 6011 Executive Boulevard, Rockville, MD 20852-3804 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SAMELSON, Lawrence, E. [US/US]; 6707 East Avenue, Chevy Chase, MD 20815 (US). ZHANG, Weiguo [-/US]; 259 Congressional Lane #410, Rockville, MD 20852 (US). (74) Agents: CARROLL, Peter, G. et al.; Medlen & Carroll, LLP, Suite 2200, 220 Montgomery Street, San Francisco, CA 94104 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published

Without international search report and to be republished upon receipt of that report.

(54) Title: THE PROTEIN TYROSINE KINASE SUBSTRATE LAT AND ITS USE IN THE IDENTIFICATION OF (ANT)AGONISTS OF THE KINASE

Human (1-233) and Murine LAT Amino Acid Sequence (1-242)

(57) Abstract

The invention generally relates to compositions and methods for identifying and testing tyrosine kinase signaling pathway agonists and antagonists, and more particularly, methods and compositions for screening compounds and identifying compounds that will modulate the interaction of protein tyrosine kinase substrates with their intracellular ligands, as well as between their intracellular ligands and other members of the signaling pathway.

		• .	
		•	
		•	
	÷		

### **CLAIMS**

We claim:

15

30

1. An isolated polypeptide comprising at least a portion of the amino acid sequence of SEQ ID NO:4.

- 2. The isolated polypeptide of Claim 1, wherein said portion comprises a region comprising at least one tyrosine.
- The isolated polypeptide of Claim 1, wherein said portion comprises a region defined by amino acids 28 to 233.
  - 4. A purified antibody which binds specifically to a polypeptide comprising at least a portion of the amino acid sequence of SEQ ID NO:4.
  - 5. The purified antibody of Claim 4, wherein said antibody is a polyclonal antibody.
- 6. The purified antibody of Claim 4, wherein said antibody is a monoclonal antibody.
  - 7. An isolated polynucleotide encoding the polypeptide comprising the sequence of SEQ ID NO:4.
- 8. The isolated polynucleotide of Claim 7, wherein said polynucleotide comprises the sequence of SEQ ID NO: 1
  - 9. The isolated polynucleotide of Claim 7, wherein said polynucleotide is contained on a recombinant expression vector.
  - 10. The polynucleotide sequence of Claim 9, wherein said expression vector containing said polynucleotide sequence is contained within a host cell.

11. A polynucleotide sequence that hybridizes under stringent conditions to the nucleic acid sequence of SEQ ID NO:1.

- 12. A method of screening a compound, said method comprising:
  - a) providing, in any order:

5

10

15

20

30

- a peptide comprising at least a portion of the amino acid sequence set forth in SEQ ID NO:4, wherein said portion is capable of binding to a LAT binding ligand;
- ii) a LAT binding ligand; and
- iii) one or more compounds for screening;
- mixing, in any order, said peptide, said LAT binding ligand and said one or more compound; and
- measuring the extent of binding of said peptide to said LAT binding ligand.
- 13. The method of Claim 12, wherein said LAT binding ligand comprises a tyrosine kinasc.
  - 14. The method of Claim 13, wherein said kinase comprises ZAP-70 kinase.
  - 15. The method of Claim 13, wherein said kinase comprises Syk kinase.
  - 16. The method of Claim 12, wherein said peptide is part of a fusion protein.
- 25 17. A method for detecting the presence of a portion of the polypeptide having the amino acid sequence set forth in SEQ ID NO:4, said method comprising the steps of:
  - a) providing in any order:
    - an antibody capable of reacting with a portion of the polypeptide having the sequence set forth in SEQ ID NO:4; and
    - ii) a sample suspected of containing at least a portion of the polypeptide having the sequence set forth in SEQ ID NO: 4;

b) combining said antibody and said sample under conditions such that a complex is formed between said antibody and said portion of said polynucleotide; and
 c) detecting said complex.

5

15

20

25 ...

30

- 18. The method of Claim 17, wherein said antibody is a polyclonal antibody.
- 19. The method of Claim 17, wherein said antibody is a monoclonal antibody.

10 20. The method of Claim 17, wherein said sample comprises lymphocytes.

21. A method for detecting the presence of polynucleotide sequences encoding at least a portion of LAT gene in a sample, said method comprising the steps of:

- a) providing in any order:
  - a polynucleotide comprising a sequence that hybridizes under stringent conditions to the nucleic acid sequence of SEQ ID NO:1; and
  - a sample suspected of containing nucleic acid comprising the sequence of SEQ ID NO:1;
- combining said polynucleotide and said sample under conditions such that a hybridization complex is formed between said polynucleotide and said sample nucleic acid; and
- c) detecting said hybridization complex.
- 22. The method of Claim 21, wherein said sample nucleic acid is RNA.
- 23. The method of Claim 21, wherein said sample nucleic acid is DNA.
- 24. The method of Claim 21, wherein said sample comprises lymphocytes.
- 25. The method of Claim 24, wherein said detected hybridization complex correlates with expression of the LAT gene in said lymphocytes.

			• •
			*
•			
			)
		÷	
	ë.		

## 17/24

1 ctaggetttt geaaaaaget teaegetgee geaageacte agggegeaag ggetgetaaa 61 ggaageggaa caegtagaaa gecagteege agaaaeggtg etgaceeegg atgaatgtea 121 gctactgggc tatctggaca agggaaaacg caagcgcaaa gagaaagcag ttcctgtgcc 181 ttaagaacat tagaaccttc ctgtccacct gctgtgagaa gttcggcctc aagcggagcg 241 agetettega ageetttgae etettegatg tgeaggattt tggeaaggte atetaeaece 301 tgtctgctct gtcctggacc ccgatcgccc agaacagggg gatcatgccc ttccccaccg 361 aggaggagag tgtaggtgat gaagacatct acagtggcct gtccgaccag atcgacgaca 421 cggtggagga ggatgaggac ctgtatgact gcgtggagaa tgaggaggcg gaaggcgacg 481 agatetatga ggaceteatg egeteggage eegtgteeat geegeecaag atgacagagt 541 atgacaageg etgetgetge etgegggaga teeageagae ggaggagaag tacaetgaca 601 cgctgggctc catccagcag catttettga ageceetgea aeggtteetg aaaceteaag 661 acattgagat catctttatc aacattgagg acctgcttcg tgttcatact cacttcctaa 721 aggagatgaa ggaagccctg ggcacccctg gcgcaccgaa tctctaccag gtcttcatca 781 aatacaagga gaggtteete gtetatggee getaetgeag eeaggtggag teageeagea 841 aacacetgga eegtgtggee geageeeggg aggaegtgea gatgaagetg gaggaatgtt 901 ctcagagage caacaaeggg aggtteaetg egegaeetge tgatggtgee tatgeagega 961 gttctcaaat atcacctcct tctccaggag ctggtgaaac acacgcagga ggcgatggag 1021 caaggaaact geggetggee etggatgeea tgagggaeet ggeteagtge gtgaaegagg 1081 tcaagcgaga caacgagaca ctgcgacaga tcaccaattt ccagctgtcc attgagaacc 1141 tggaccagte tetggeteae tatggeegge ceaagatega eggggaacte aagateaeet 1201 eggtggaaeg gegeteeaag atggaeaggt atgeetteet getegaeaaa getetaetea 1261 tetgtaageg eaggggagae teetatgace teaaggaett tgtaaacetg eacagettee 1321 aggtteggga tgaetettea ggagacegag acaacaagaa gtggageeae atgtteetee 1441 agaagtggat ggagcagttt gagatggcca tctccaacat ctatccggag aatgccaccg 1501 ccaacgggca tgacttccag atgttctcct ttgaggagac cacatcctgc aaggcctgtc 1561 agatgetget tagaggtace ttetateagg getacegetg ceateggtge egggeatetg 1621 cacacaagga gtgtctgggg agggtccctc catgtggccg acatgggcaa gatttcccag 1681 gaactatgaa gaaggacaaa ctacatcgca gggctcagga caaaaagagg aatgagetgg 1741 gtctgcccaa gatggaggtg tttcaggaat actacgggct tcctccaccc cctggagcca 1801 ttggaccett tetaeggete aaccetggag acattgtgga geteaegaag getgaggetg 1861 aacagaactg gtgggagggc agaaatacat ctactaatga aattggctgg tttccttgta 1921 acagggtgaa gecetatgte catggeecte eteaggacet gtetgtteat etetggtaeg 1981 caggececat ggageggea ggggeagaga geateetgge caacegeteg gaegggaett 2041 tettggtgcg gcagagggtg aaggatgcag cagaatttgc catcagcatt aaatataacg 2101 tcgaggtcaa gcacacggtt aaaatcatga cagcagaagg actgtaccgg atcacagaga 2161 aaaaggettt eegggggett aeggagetgg tggagttta eeageagaae tetetaaagg 2221 attgetteaa gtetetggae accacettge agtteeeett caaggageet gaaaagagaa 2281 ccatcagcag gccagcagtg ggaagcacaa agtattttgg cacagccaaa gcccgctatg 2341 acttetgege eegtgacegt teagagetgt egetcaagga gggtgacate ateaagatee 2401 ttaacaagaa gggacagcaa ggctggtggc gaggggagat ctatggccgg gttggctggt 2461 tccctgccaa ctacgtggag gaagattatt ctgaatactg ctgagccctg gtgccttggc 2521 agagagacga gaaactccag gctctgagcc cggcgtggcg aggcagcgga ccaggggctg 2581 tgacagetee ggegggtgga gaetttggga tggactggag gaggeeageg teeagetgge 2641 ggtgctcccg ggatgtgccc tgacatggtt aatttataac accccgattt tcctcttggg 2701 teceteaag cagaeggggg eteaaggggg ttacatttaa taaaaggatg aagatgg

Human Vav Nucleotide Sequence (1-2757)

Figure 11A

#### 18/24

1 mnvsywaiwt renasakrkq flclknirtf lstccekfgl krselfeafd lfdvqdfgkv
61 iytlsalswt piaqnrgimp fpteeesvgd ediysglsdq iddtveeded lydcveneea
121 egdeiyedlm rsepvsmppk mteydkrccc lreiqqteek ytdtlgsiqq hflkplqrfl
181 kpqdieiifi niedllrvht hflkemkeal gtpgapnlyq vfikykerfl vygrycsqve
241 saskhldrva aaredvqmkl eecsqranng rftarpadga yaassqispp spgagethag
301 gdgarklrla ldamrdlaqc vnevkrdnet lrqitnfqls ienldqslah ygrpkidgel
361 kitsverrsk mdryaflldk allickrrgd sydlkdfvnl hsfqvrddss gdrdnkkwsh
421 mflliedqga qgyelffktr elkkkwmeqf emaisniype natanghdfq mfsfeettsc
481 kacqmllrgt fyqgyrchrc rasahkeclg rvppcgrhgq dfpgtmkkdk lhrraqdkkr
541 nelglpkmev fqeyyglppp pgaigpflrl npgdiveltk aeaeqnwweg mtstneigw
601 fpcnrvkpyv hgppqdlsvh lwyagpmera gaesilanrs dgtflvrqrv kdaaefaisi
661 kynvevkhtv kimtaeglyr itekkafrgl telvefyqqn slkdcfksld ttlqfpfkep
721 ekrtisrpav gstkyfgtak arydfcardr selslkegdi ikilnkkgqq gwwrgeiygr
781 vgwfpanyve edyseyc

Human Vav Amino Acid Sequence (1-797)

1 gaatteeggg eeeggatage eggeggegge ggeggeggeg geggeggeg eggeeggag 61 aggecectee treacgecet getteletee elegetegea glegageega geeggeggae 121 ccgcctgggc tccgaccctg cccaggccat ggccggcaac gtgaagaaga gctctggggc 181 cgggggcggc acgggctccg ggggctcggg ttcgggtggc ctgattgggc tcatgaagga 241 egeetteeag eegeaceace accaccacea ceaecteage eeceaecege eggggaeggt 301 ggacaagaag atggtggaga agtgctggaa gctcatggac aaggtggtgc ggttgtgtca 361 gaacccaaag ctggcgctaa agaatagccc accttatatc ttagacctgc taccagatac 421 ctaccagcat ctccgtacta tcttgtcaag atatgagggg aagatggaga cacttggaga 481 aaatgagtat tttagggtgt ttatggagaa tttgatgaag aaaactaagc aaaccataag 541 cctcttcaag gagggaaaag aaagaatgta tgaggagaat tctcagccta ggcgaaacct 601 aaccaaactg tooctcatot toagocacat gotggoagaa ctaaaaggaa totttooaag 661 tggactettt eagggagaea cattteggat tactaaagea gatgetgegg aattttggag 721 aaaagetttt ggggaaaaga caatagteee ttggaagage tttegacagg etetacatga 781 agtgeatece ateagttetg ggetggagge eatggetetg aaateeacta ttgatetgae 841 ctgcaatgat tatatttcgg tttttgaatt tgacatcttt acccgactct ttcagccctg 901 gtcctctttg ctcaggaatt ggaacagect tgctgtaact catcctggct acatggcttt 961 tttgacgtat gacgaagtga aagctcggct ccagaaattc attcacaaac ctggcagtta 1021 tatetteegg etgagetgta etegtetggg teagtggget attgggtatg ttaetgetga 1081 tgggaacatt etecagacaa teeeteacaa taaacetete ttecaageae tgattgatgg 1141 cttcagggaa ggcttctatt tgtttcctga tggacgaaat cagaatcctg atctgactgg 1201 cttatgtgaa ccaactcccc aagaccatat caaagtgacc caggaacaat atgaattata 1261 ctgtgagatg ggctccacat tccaactatg taaaatatgt gctgaaaatg ataaggatgt 1321 aaagattgag ccctgtggac acctcatgtg cacatcctgt cttacatcct ggcaggaatc 1381 agaaggtcag ggctgtcctt tctgccgatg tgaaattaaa ggtactgaac ccatcgtggt 1441 agateegttt gateetagag ggagtggeag eetgttgagg eaaggageag agggagetee 1501 ctccccaaat tatgatgatg atgatgatga acgagctgat gatactctct tcatgatgaa 1561 ggaattgget ggtgccaagg tggaacggcc gccttctcca ttctccatgg ccccacaagc 1621 ttoccttocc coggigocae caegaettga cettetgeeg cagegagtat gtgtteecte 1681 aagtgettet getettggaa etgettetaa ggetgettet ggeteeette ataaagacaa 1741 accattgeca gtacetecca caettegaga tettecacea ecacegeete cagaceggee 1801 atattetgtt ggagcagaat eeegacetea aagaegeeee ttgeettgta eaecaggega 1861 elgicectee agagacaaac tgeeceetgt eccetetage egeettggag acteatgget 1921 gecceggeea atecceaaag taccagtate tgecceaagt tecagtgate cetggaeagg 1981 aagagaatta accaacegge acteacttee atttteattg ceeteacaaa tggageecag 2041 accagatgig cetaggeteg gaageaegtt eagtetggat acctecatga gtatgaatag 2101 cageccatta gtaggtecag agtgtgacca ecceaaaate aaacetteet catetgecaa 2161 tgccatttat tetetggetg ceagacetet teetgtgeea aaaetgeeae etggggagea 2221 atgtgagggt gaagaggaca cagagtacat gactecetet tecaggeete taeggeettt 2281 ggatacatcc cagagttcac gagcatgtga ttgcgaccag cagattgata gctgtacgta 2341 tgaagcaatg tataatattc agtcccaggc gccatctatc accgagagca gcacctttgg 2401 tgaagggaat ttggccgcag cccatgccaa cactggtccc gaggagtcag aaaatgagga 2461 tgatgggtat gatgtcccaa agccacctgt gccggccgtg ctggcccgcc gaactctctc 2521 agatatetet aatgeeaget eeteettigg etggttgtet etggatggtg ateetacaae 2581 aaatgtcact gaaggttccc aagttcccga gaggcctcca aaaccattcc cgcggagaat 2641 caactetgaa eggaaagetg geagetgtea geaaggtagt ggteetgeeg eetetgetge 2701 caccgcctca cctcagctct ccagtgagat cgagaacctc atgagtcagg ggtactccta 2761 ccaggacate cagaaagett tggtcattge ccagaacaacategagatgg ccaaaaaacat 2821 ceteegggaa titgitteea titettetee tgeecatgta getacetage acaccatete 2881 cctgctgcag gtttagagga ccagtgagtt gggagttatt actcaagtgg cacctagaag 2941 ggcaggagit cettiggiga citcacagig aagtetigee etetetgigg gatateacat 3001 cagtggttcc aagatttcaa agtggtgaaa tgaaaatgga gcagctagta tgttttatta 3061 ttttatgggt citgagtgca tttgaaggtg

Human Cbl Nucleotide Sequence (1-3090)

Figure 12A


### 20/24

- 1 magnvkkssg aggggsggsg aggliglmkd afqphhhhhh lsphppctvd kkmvekcwkl
- 61 mdkvvrlcqn pnvalknspp yildllpdty qhlrtvlsry egkmetlgen eyfrvfmenl
- 121 mkktkqtisl fkegkermye ensqprrnlt klslifshml aelkgifpsg lfqgdtfrit
- 181 kadaaefwrk afgektivpw ksfrqalhev hpissgleam alkstidltc ndyisvfefd
- 241 iftrlfqpws sllrnwnsla vthpgymafl tydevkarlq kfihkpgsyi frlsctrlgq
- 301 waigyvtadg nilqtiphnk plfqalidgf regfylfpdg rnqnpdltgl ceptpqdhik
- 361 vtqicaendk dvkiepcghl mctscltswq esegqgcpfc rceikgtepi vvdpfdprgs
- 421 gsllrqgaeg apspnydddd deraddslfm mkelagakve rpsspfsmap qaslppvppr
- 481 ldllqqrapv pastsvlgta skaasgslhk dkplpipptl rdlppppppd rpysvgaetr
- 541 pqrrplpctp gdcpsrdklp pvpssrpgds wlsrtipkvp vatpnpgdpw ngreltnrhs
- 601 lpfslpsqme pradvprlgs tfsldtsmtm nsspvagpes ehpkikpsss anaiyslaar
- 661 plpmpklppg eggeseedte ymtptsrpvg vqkpepkrpl eatqssracd cdqqidscty
- 721 earnytiqsqa Isvaensasg egnlatahts tgpeesened dgydvpkppv pavlarrtls
- 781 disnasssfg wlsldgdptn fnegsqvper ppkpfprrin serkassyqq gggatanpva
- 841 tapspqlsse ierlmsqgys yqdiqkalvi ahnniemakn ilrefvsiss pahvat

Human Cbl Amino Acid Sequence (1-896)

Figure 12B






egg)

#<u>)</u>

· .\.



Best Available Copy


()

Vector M. CSelysty CSely CSely Lin

В

~[34]

Cytosolic fraction



Particulate fraction

recion cheren cher cher in

C


p36 —

**GEM** fraction



Triton-soluble fraction

F16.15



Best Available Copy

<del>(`)</del>

()

#### SEOUENCE LISTING

```
<110> Samelson, Lawrence E.
                 Zhang, Weiguo
 5
         <120> Compositions and Methods for Identifying and Testing
                 Tyrosine Kinase Substrates and Their Agonists and
                 Antagonists
10
         <130> NIH-05033
         <140> Unknown
         <141> 1998-12-23
15
         <150> 60/068,690
         <151> 1997-12-23
         <160> 15
20
         <170> PatentIn Ver. 2.0
         <210> 1
         <211> 1059
         <212> DNA
25
         <213> Homo sapiens
         gactetgeee ttgaggggee taggggtgea geeageetge teegagetee cetgeagatg 60
         gaggaggeca teetggteee etgegtgetg gggeteetge tgetgeeate etggeeatgt 120
tgatggeaet gtgtgtgeae tgeeaeagae tgeeaggete etaegaeage acateeteag 180
30
         atagittgta tecaagggge atecagtica aacggeetca cacggitgee ceetggeeae
         ctgoctacce acetgicace tectacecae ecetgageca gecagacetg etececatee
         caagateece geageeeett gggggeteee aceggaegee atetteeegg egggattetg
         atggtgccaa cagtgtggcg agctacgaga acgaggaacc agcctgtgag gatgcagatg
35
         aggatgagga cgactatcac aacccagget acctggtggt getteetgae agcacccegg
         ccactagcae tgetgeecca teageteetg caeteageae eeetggeate egagaeagtg cetteteeat ggagteeatt gatgattaeg tgaaegttee ggagaeggg gagagegeag aagegtetet ggatggeage egggagtatg tgaatgtgte eeaggaaetg cateetggag
         cggctaagac tgagcctgcc gccctgagtt cccaggaggc agaggaagtg gaggaagagg
                                                                                                      720
4û
         gggctccaga ttacqaqaat ctqcaggagc tgaactqagg gcctqtqqaq qccqaqtctq
         tcctggaacc aggettgeet gggaeggetg agetgggeag etggaagtgg etetggggte etcacatgge gteetgeet tgeteeagee tgacaacage etgagaaate eeceegtaac
                                                                                                      840
         45
          <210> 2
          <211> 1461
          <212> DNA
50
          <213> Homo sapiens
          <223> Description of Artificial Sequence: Synthethic
55
          <400> 2
          accocatett catetggeet tgactetgee ettgagggge etaggggtge agceageetg 60
          etcegagete ecctgeagat ggaggaggee atectggtee ectgegtget ggggeteetg 120
          ctgctgccca tcctggccat gttgatggca ctgtgtgtgc actgccacag actgccaggc 180
          tectaegaca geacateete agatagtttg tateeaaggg geateeagtt caaaeggeet 240
60
          cacacggttg ccccctggcc acctgcctac ccacctgtca cctcctaccc acccctgagc
          cagocagaco tgotocccat occaagatoo cogcagocoo ttggggggcto ccaccggacg 360
         Cagcagace tgeteeceat eccaagate eggageece ttgggggete ecaeeggaeg 360 ceatetttee eggegggatt etgatggtge caacagtgtg gegagetaeg agaacgaggg 420 tgeggtetggg atecgaggt eccaggetgg gtggggagte tgggggteet ectggaetag 480 getgaeceet gtgtegttae ecceaggae ageetgtgag gatgeagatg agaatgagga 540 egaetateae aaceeagget acetggtggt getteetgae ageaeceegg ecaetageae 600 tgetgeecea teageteetg eacteageae ecctggeate egagaeagtg ectteteea 660 ggagteeatt gatgattaeg tgaaegttee ggagageggg gagagegeag aagegtetet 720 ggatggeage egggagtatg tgaatgtgte ecaggaaetg eateetggag eggetaagae 780
65
```

 $\mathcal{A}^{\mathrm{max}}$ 

```
tgagcctgcc gccctgagtt cccaggaggc agaggaagtg gaggaagagg gggctccaga 840
          thacgagaat ctgcaggage tgaactgagg gcctgtggag gccgagtctg tcctggaacc 900 aggcttgcct gggacgctg agctggcag ctggaagtgg ctctggggtc ctcacatggc 960 gtcctgcct tgctccagcc tgacaacagc ctgagaaatc cccccgtaac ttattatcac 1020 tttggggttc ggcctgtgtc ccccgaacgc tctgcacctt ctgacgcagc ctgagaatga 1080
 5
           cctgccctgg ccccagccct actctgtgta atagaataaa ggcctgcgtg tgtctgtgtt 1140
           gagogtgogt ctgtgtgtgc ctgtgtgcga gtctgagtca gagatttgga gatgtctctg 1200
          tgtgttttgtg tgtatetgtg ggtetceate etceatgggg geteagecag gtgtgtgae 1260
accecette tgaatgaage ettetgacet gggetggae tgetgggggt gaggaeacat 1320
tgeeceatga gacagtecca gaacacggca getgetgget gtgacaatgg ttteaceate 1380
ettagaceaa gggatgggae etgatgaeet gggaggaete ttttagttet tacetettgt 1440
10
          ggttctcaat aaaacagaac g
15
           <211> 1260
           <212> DNA
           <213> Mus musculus
           <400> 3
20
          ggcacgagca ggcggggagc aagaaagggg caggtacagc tgggcacggg gatcgtgcag 60
          ctggtagctg gggcacggg cccagctcg gctctgggc gagcacctt ccagagccaa 120 cactgctct aactcagtc agcaagaga gggagccatc cagcccgaa aggatacggc 180 tgcctactgc cgggcggatc ccaggctgga gccgcttgg tcccataccc ctgctgcac 240 tctgtctcga ggcgcgtgag gctgggcct ctgctgctg gtgctctga gatggaagca 300 gacgccttga gccggttgg gctgggcct ctgctgctgc ccttcttggt cacgctctg 360
25
          gctgccctgt gcgtgcgctg ccgtgagttg ccagtctcct atgacagcac ttccacagag 420 agtttgtacc caagaagcat cctcatcaag ccacctcaaa taaccgtccc ccgaacacct 480 gctgtttcct accetctagt cacttccttc ccacccctga ggcagccaga cctgctcccc 540
           atdccgagat ccccacagcc cettgggggt tcccategga tgccatette ccagcagaat 600
30
          tcagatgatg ccaacagtgt ggcaagctac gagaaccagg agccagcctg taagaatgtg 660 gatgcagatg aggatgaaga cgactatccc aacggctacc tagtggtgct gcctgacagt 720
          agtectgetg cegtecetgt tgtetectet getectgtge ctageaacce tgacettqqa 780
           gacagtgcct tctctgtgga gtcgtgtgaa gattacgtga atgttcctga gagtgaggag 840
          agcgcagagg cgtctctgga tgggagccgg gagtatgtga atgtgtcccc agagcagcag ccagtgacca gggctgagct ggcctctgtg aactcccagg aggtggaaga cgaaggagaa
35
          gaggaagggg tggatggaga ggaagctccc gactatgaga atctacagga gcttaactga 1020
           aagectactg cagetytety teetgaaaet ggaettyety ggytyteget aagaggatee catttyatet etycettyee acageetyay aatetteee taaettatty teaetttygg
                                                                                                                     1140
           gtccagtctg tgtccccaat attctgtacc ttctgataaa gcctgagaat gaatctgqtt 1200
40
           <210> 4
           <211> 233
           <212> PRT
45
           <213> Homo sapiens
           <400> 4
          Met Glu Glu Ala Ile Leu Val Pro Cys Val Leu Gly Leu Leu Leu
50
          Pro Ile Leu Ala Met Leu Met Ala Leu Cys Val His Cys His Arg Leu
          Pro Gly Ser Tyr Asp Ser Thr Ser Ser Asp Ser Leu Tyr Pro Arg Gly
55
           Ile Gln Phe Lys Arg Pro His Thr Val Ala Pro Trp Pro Pro Ala Tyr
```

	Pro 65	Pro	Val	Thr	Ser	Tyr 70	Pro	Pro	Leu	Ser	Gln 75	Pro	Asp	Leu	Leu	Pro 80	
5	Ile	Pro	Arg	Ser	Pro 85	Gln	Pro	Leu	Gly	Gly -90	Ser	His	Arg	Thr	Pro 95	Ser	
	Ser	Arg	Arg	Asp 100	Ser	Asp	Gly	Ala	Asn 105	Ser	Val	Ala	Ser	Tyr 110	Glu	Asn	
10	Glu	Glu	Pro 115	Ala	Cys	Glu	Asp	Ala 120	Asp	Glu	Asp	Glu	Asp 125	Asp	Tyr	His	
15	Asn	Pro 130	Gly	Tyr	Leu	Val	Val 135	Leu	Pro	Asp	Ser	Thr 140	Pro	Ala	Thr	Ser	
	Thr 145	Ala	Ala	Pro	Ser	Ala 150	Pro	Ala	Leu	Ser	Thr 155	Pro	Gly	Ile	Arg	Asp 160	
20	Ser	Ala	Phe	Ser	Met 165	Glu	Ser	Ile	Asp	Asp 170	Tyr	Val	Asn	Val	Pro 175	Glu	
	Ser	Gly		Ser 180	Ala	Glu	Ala	Ser	Leu 185	Asp	Gly	Ser	Arg	Glu 190	Tyr	Val	
25	Asn	Val	Ser 195	Gln	Glu	Leu	His	Pro 200	Gly	Ala	Ala	Lys	Thr 205	Glu	Pro	Ala	
30	Ala	Leu 210	Ser	Ser	Gln	Glu	Ala 215	Glu	Glu	Val	Glu	Glu 220	Glu	Gly	Ala	Pro	
	Asp 225	Туг	Glu	Asn	Leu	Gln 230	Glu-	Leu	Asn	•							
35	<21:	0 > 5 1 > 2 2 > Di 3 > M	AN	ae g	en. :	sp.											
40	mea	avsy	plv	tsfp	plrq	p <b>d 1</b>	lpip:	rspq	o 1gg	gshrı	npss	gans	sdda	nsv	asve	oqitvp nqepac yvnvpe	120
45	see: ln	saea	sld	gsre	yvnv.	sp e	dđb <u>n</u>	trae:	l as	parv	eved	ege	eegv	dge	eapd	yenlqe	240 242
50	<21 <21 <21		NA	sapi	ens												
55	gga ggc cat gtc tct acg	aggc tggc ccca acgg ggct	ctg att ggt cag ctt	gccc ggga ttcg catc cctg	accg ccag ggag tcgc ctgc	tg g ag a gc c gt g gc c	geet eece eagg eega agtg	caga gcaa ggcg ggcc cctg	g ctg g tg a tg g ag c gc	getg geet eeag gage tege	ctgg gttt accc acct tggg	ggc gaa ggaa	attc tgga ggcg gctg ctat	aga cat cac gcg gtg	accgo ccac ctgc ggca ctqt	ctteeg getete etgtae eettet tggegg egeteg	120 180 240 300 360
60	tgc ttg ccg agc gga	acga ccgg ecgg cggg agct	tgt cgg gct ggt gga	gcgc caaa gccc cttc gggc	ttcc gcgc tgca gact gagg	ac c ac t ac c gc c cc c	actt gtgg tgcg tgcg tgga	tccc accg caag agac gcag	a to g ca c cg g cc g cc	gagc gagc tgca atgg atca	gcca tctg accg tgcg tcaq	gct cga gcc tga cca	caac gttc gtcg ctac qqcc	ggc tac ggc gtg ccq	acct tcgc ctcg cgcc cagg	acgeca gegace ageege agaegt tggaga	420 480 540 600
65	agc egc cct	tcat aggc ggaa catc	tgc cga gga agc	gege gegg gegg caag	acgg aaac gcac acaa	cc c tt t at a gg c	acga actc .cgcc .gggc	gcgg tggg ctgt aagt	a tg g cg c cc a ct	ccct caga tcat gcat	ggta ccga ctat tccc	cca cgg ggg gag	cago caag aaga ggca	agc ttc cgg	ctga ctgc tgta agtt	cgcgtg tgaggc ccacta tgacac cctgaa	720 780 840 900

5	ggaggcetge cccaacagea gtgecageaa egecteaggg getgetgete ccacacteee 1020 ageceacea tecacgttga ctcatectea gagacgaate gacaceetea acteagatgg 1080 atacaceetg agecageag cataacgtee ccagacgaae egeggeegat geceatggae 1140 acgagegtgt atgagagee ctacagegae ccagaggage teaaggacaa gaagetette 1200 etgaagegeg ataaceteet catagetgae attgaacttg getgeggeaa cttttggetea 1260 gtgegecagg gegggaee cggagagage agacaggae agacaggaee agacaggeea eagagegeea cagaggaee cagageggae acgetggaea acceetacat egtgeggete attggegetet gecaggeega ggeceteatg 1440 etggteatgg agatggeeg agatggeeg cagagggga ggeeggeeg ctgeacaagt tectggtegg caagagggag 1500	
10	gagatccctg tgagcaatgt ggccgagctg ctgcaccagg tgtccatggg gatgaagtac 1560 ctggaggaga agaactttgt gcaccgtgac ctggcggccc gcaacgtcct gctggttaaa 1620 ccggcactac gccaagatca gcgacttggc ctctccaaag cactgggtgc cgacgacagc 1680 tactacactg cccgctcagc agggaagtgg ccgctcaagt ggtacgcacc cgaatgcatc 1740 aacttccgca agttctccag ccgcagcgat gtctggagct atggggtcac catgtgggag 1800	,
15	gcettgteet aeggeeagaa geeetacaag aagatgaaag ggeeggaggt catggeette 1860 ategageagg geaageggat ggagtgeeea ceagagtgte caceegaaet gtaegeaete 1920 atgagtgaet getggateta eaagtgggag gategeeeeg aetteetgae egtggageag 1980 egcatgegag eetgttaeta cageetggee ageaaggtgg aagggeeee aggeageaea 2040	
20	cagaaggctg aggctgcctg tgcctgagct cccgctgcc aggggagccc tccacgccgg 2100 ctcttcccca ccctcagcc cacccaggt cctgcagtct ggctgagccc tgcttggttg 2160 tctccacaca cagtgggct gtggtagygg gtgtctcagg ccacaccggc cttgcattgc 2220 ctgcctggcc ccctgtcctc tctggctgg gagcaggag gtccgggagg gtgcggctgt 2280 gcagcctgtc ctgggctggt ggctccgga gggccctgag ctgagggcat tgcttacacg 2340	
25	gatgeettee eetgggeet gacattggag eetgggeate eteaggtggt eaggegtaga 2400 teaceagaat aaacceaget teeetettga aaaaaaaaaa aaaaaaaace 2450	
30	<210> 7 <211> 617 <212> PRT <213> Homo sapiens	
35	<400> 7 Met Pro Asp Pro Ala Ala His Leu Pro Phe Phe Tyr Gly Ser Ile Ser 1 5 10 15	
33	Arg Ala Glu Ala Glu Glu His Leu Lys Leu Ala Gly Met Ala Asp Gly 20 25 30	
40	Leu Phe Leu Leu Arg Gln Cys Leu Arg Ser Leu Gly Gly Tyr Val Leu 35 40 45	
	Ser Leu Val Asp Asp Val Arg Phe His His Phe Pro Ile Glu Arg Gln 50 60	
45	Leu Asn Gly Thr Tyr Ala Ile Ala Gly Gly Lys Ala His Cys Gly Pro 65 70 75 80	
50	Ala Glu Leu Cys Gln Phe Tyr Ser Gln Asp Pro Asp Gly Leu Pro Cys 85 90 95	
50	Asn Leu Arg Asn Ala Cys Asn Arg Pro Pro Gly Leu Glu Pro Gln Pro 100 105 110	
55	Gly Val Phe Asp Cys Leu Arg Asp Ala Met Val Arg Asp Tyr Val Arg 115 120 125	
	Gln Thr Trp Lys Leu Glu Gly Asp Ala Leu Glu Gln Ala Ile Ile Ser 130 135 140	
60	Gln Ala Pro Gln Val Glu Lys Leu Ile Ala Thr Thr Ala His Glu Arg 145 150 155 160	
65	Met Pro Trp Tyr His Ser Ser Leu Thr Arg Glu Glu Ala Glu Arg Lys 165 170 175	
0.5	Leu Tyr Ser Gly Gln Gln Thr Asp Gly Lys Phe Leu Leu Arg Pro Arg 180 185 190	

	Lys	Glu	Gln 195	Gly	Thr	тут	Ala	Leu 200	Ser	Leu	Val	Tyr	Gly 205	Lys	Thr	Val
. 5	Туж	His 210	Tyr	Leu	Ile	Ser	Gln 215	qaA	Lys	Ala	Gly	Lys 220	Tyr	Cys	Ile	Pro
	Glu 225	Gly	Thr	Lys	Phe	Asp 230	Thr	Leu	Trp	Gln	Leu 235	Val	Glu	Tyr	Leu	Lys 240
10	Leu	Lys	Ala	Asp	Gly 245	Leu	Ile	Tyr	Arg	Leu 250	Lys	Glu	Val	Cys	Pro 255	Asn
15	Ser	Ser	Ala ·	Ser 260	Ala	Ala	Val	Ala	Ala 265	Pro	Thr	Leu	Pro	Ala 270	His	Pro
	Ser	Thr	Phe 275	Thr	Gln	Pro	Gln	Arg 280	Arg	Val	Asp	Thr	Leu 285	Asn	Ser	Asp
20	Gly	Tyr 290	Thr	Pro	Glu	Pro	Ala 295	Arg	Leu	Ala	Ser	Ser 300	Thr	Asp	Lys	Pro
	Arg 305	Pro	Met	Pro	Met	Asp 310	Thr	Ser	Val	Tyr	Glu 315	Ser	Pro	Tyr	Ser	Asp 320
25	Pro	Glu	Glu	Leu	Lys 325	Asp	Lys	Lys	Leu	Phe 330	Leu	Lys	Arg	Glu	Asn 335	Leu
30	Leu	Val	Ala	Asp 340	Ile	Glu	Leu	Gly	Cys 345	Gly	Asn	Phe	Gly	Ser 350	Val	Arg
	Gln	Gly	Val 355	Tyr	Arg	Met	Arg	Lys 360	Lys	Gln	Ile	Asp	Val 365	Ala	Ile	Lys
35	Val	Leu 370	Lys	Gln	Gly	Thr	Glu 375	ГÀЗ	Ala	Asp	Lys	Asp 380	Glu	Met	Met	Arg
•	Glu 385	Ala	Gln	Ile	Met	His 390	Gln	Leu	Asp	Asn	Pro 395	Tyr	Ile	Val	Arg	Leu 400
40	Ile	Gly	Val	Суѕ	Gln 405	Ala	Glu	Ala	Leu	Met 410	Leu	Val	Met	Glu	Met 415	Ala
45	Gly	Gly	Gly	Pro 420	Leu	His	Lys	Phe	Leu 425	Leu	Gly	Lys	Lys	Glu 430	Ile	Pro
-	Val	Ser	Asn 435	Val	Ala	Glu	Leu	Leu 440	His	Gln	Val	Ala	Met 445	Gly	Met	Lys
50	Tyr	Leu 450	Glu	Glu 	Lys	Asn	Phe 455	Val	His	Arg	Asp	Leu 460	Ala	Ala	Arg	Asn
	Val 465		Leu	Val	Asn	Arg 470	His	Tyr	Ala	Lys	Ile 475	Ser	Asp	Phe	Gly	Leu 480
55	Ser	Lys	Ala	Leu	Gly 485	Ala	Asp	Asp	Ser	Tyr 490	Tyr	Thr	Ala	Arg	Ser 495	Ala
60	Gly	Lys	Trp	Pro 500		Lys	Trp	Tyr	Ala 505	Pro	Glu	Cys	Ile	Asn 510	Phe	Arg
	Lys	Phe	Ser 515	Ser	Arg	Ser	Asp	Val 520	Trp	Ser	Tyr	Gly	Val 525		Met	Trp
65	Glu	Ala 530		Ser	Tyr	Gly	Gln 535		Pro	Tyr	Lys	Lys 540	Met	Lys	Gly	Pro
	Glu 545	Val	Leu	Asp	Phe	11e 550		Gln	Gly	Lys	Arg 555		Glu	Cys	Pro	Pro 560

Glu Cys Pro Pro Glu Met Tyr Ala Leu Met Ser Asp Cys Trp Ile Tyr Lys Trp Glu Asp Arg Pro Asp Phe Leu Thr Val Glu Gln Arg Met Arg 5 Asn Tyr Tyr Tyr Ser Leu Ala Ser Arg Ala Glu Gly Pro Pro Gln Cys 10 Glu Gln Val Ala Glu Ala Ala Cys Gly <210> 8 15 <211> 2541 <212> DNA <213> Homo sapiens <400> 8 gaggaagag cgcgggcccg gcggctgag ccaccccggc ggcggctgga gagcgaggag 60 gagcggtgtg cccccggcc cctgaagcat ggccaagcag ggcgacggtg gaccactgcg 120 caggtgtgtg ccctccggc cctgaagcat ggccaagcag ggcaagagt gacacctgcg 120 cacctgccc ttcttttcg gcaacatcac ccgggaggag gcagaagat acctggtca 240 ggggggaatg agtgatggc tttatttgct gcgccagagc cgcaactacc tgggtgcca 360 cgccctgtcc gtggccaag ggaggaaggc acaccactac accactgagc gggagctgaa 360 20 25 tggcacctac gccatcgccg gtggcaggac ccatgccagc cccgccgacc tctgccacta 420 ccatcccag gagtctgatg gcctggtctg cctcctcaag aagcccttca accggcccca 480 aggggtgcag cccaagactg ggcctttga ggatttgaag gaaaacctca tcagggaata 540 tgtgaagcag acatggaacc tgcagggtca ggctctggag caggccatca tcagtcagaa 600 gcctcagctg gagaagctga tcgctaccac agcccatgaa aaaatgcctt ggttccatgg 660 aaaaatctct cgggaagaat ctgagcaaat tgtcctgata ggatcaaaga caaatggaaa 720 30 gttcctgatc cgagccagag acaacaacgg ctcctacgcc ctgtgcctgc tgcacgaagg 780 gaaggtgctg cactatcgca tcgacaaaga caagacaggg aagctctcca tccccgaggg 840 aaagaagttc gacacgctct ggcagctagt cgagcattat tcttataaag cagatggttt gttaagagtt cttactgtcc catgtcaaaa aatcggcaca cagggaaatg ttaattttgg 35 960 aggccgtcca caacttecag gttcccatcc tgcgtcctcc cctgcccaag ggaaccggca 1020 agagagtact gtgtcattca atccgtatga gccagaactt gcaccctggg ctgcagacaa 1080 aggccccag agagaagccc tacccatgga cacagaggtg tacgagagcc cctacgcgga 1140 ccccgaggag atcaggcca aggaggttta cctggaccga aagctgctga cgctggaaga 1200 caaagaactg ggctctggta attttggaac tgtgaaaaag ggctactacc aaatgaaaaa 1260 40 agttgtgaaa accgtggctg tgaaaatact gaaaaacgag gccaatgacc ccgctcttaa 1320 agatgagtta ttagcagaag caaatgtcat gcagcagctg gacaacccgt acatcgtgcg 1380 gatgateggg atatgegagg eegagteetg gatgetggtt atggagatgg eagaacttgg 1440 teceetcaat aagtatttge ageagaacag acatgteaag gataagaaca teatagaact 1500 45 ggttcatcag gtttccatgg gcatgaagta cttggaggag agcaattttg tgcacagaga 1560 tetggetgea agaaatgtgt tgetagttae ceaacattae gecaagatea gtgatttegg 1620 actitccaaa gcactgcgtg ctgatgaaaa ctactacaag gcccagaccc atggaaagtg gcctgtcaag tggtacgctc cggaatgcat caactactac aagttctcca gcaaaagcga tgtctggagc ttttggagtgt tgatgtggga agcattctcc tatgggcaga agccatatcg 1680 1740 1800 agggatgaaa ggaagtgaag tcaccgctat gttagagaaa ggagagcgga tggggtgccc tgcagggtgt ccaagagaga tgtacgatct catgaatctg tgctggacat acgatgtgga 50 1920 aaacaggeee ggattegeag eagtggaaet geggetgege aattactaet atgacgtggt 1980 gaactaaccg ctcccgcacc tgtcggtggc tgcctttgat cacaggagca atcacaggaa 2040 aatgtateca gaggaattga ttgtcageca ceteeetetg ceagteggga gagecagget 2100 55 tggatggaac atgcccacaa cttgtcaccc aaagcctgtc ccaggactca ccctccacaa 2160 agcaaaggca gtcccgggag aaaagacgga tggcaggatc caaggggcta gctggatttg 2220 titgttitct tgtctgtgtg attttcatac aggttatttt tacgatctgt ttccaaatcc 2280 ctttcatgtc tttccacttc tctgggtccc ggggtgcatt tgttactcat cgggcccagg 2340 gacattgcag agtggcctag agcactctca ccccaagegg cettttecaa atgcccaagg 2400 atgettage atgtgactee tgaagggaag geaaaggeag aggaatttgg etgettetae 2460 ggeeatgaga etgateeetg geeactgaaa agettteetg acaataaaaa tgttttgagg 2520 60 ctttaaaaaq aaaaaaaaa a 2541 <210> 9 65 <211> 635 <212> PRT

<213> Homo sapiens

Met Ala Ser Ser Gly Met Ala Asp Ser Ala Asn His Leu Pro Phe Phe 1 5 10 15 5 Phe Gly Asn Ile Thr Arg Glu Glu Ala Glu Asp Tyr Leu Val Gl<br/>n Gly 20 25 30 Gly Met Ser Asp Gly Leu Tyr Leu Leu Arg Gln Ser Arg Asn Tyr Leu 35 40 4510 Gly Gly Phe Ala Leu Ser Val Ala His Gly Arg Lys Ala His His Tyr
50 60 Thr Ile Glu Arg Glu Leu Asn Gly Thr Tyr Ala Ile Ala Gly Gly Arg 65 70 75 80 15 Thr His Ala Ser Pro Ala Asp Leu Cys His Tyr His Ser Gln Glu Ser 20 Asp Gly Leu Val Cys Leu Leu Lys Lys Pro Phe Asn Arg Pro Gln Gly Val Gln Pro Lys Thr Gly Pro Phe Glu Asp Leu Lys Glu Asn Leu Ile 25 Arg Glu Tyr Val Lys Gln Thr Trp Asn Leu Gln Gly Gln Ala Leu Glu 135 Gln Ala Ile Ile Ser Gln Lys Pro Gln Leu Glu Lys Leu Ile Ala Thr 30 Thr Ala His Glu Lys Met Pro Trp Phe His Gly Lys Ile Ser Arg Glu 165 170 175 35 Glu Ser Glu Gln Ile Val Leu Ile Gly Ser Lys Thr Asn Gly Lys Phe 180 185 . 190 Leu Ile Arg Ala Arg Asp Asn Asn Gly Ser Tyr Ala Leu Cys Leu Leu 195 200 205 40 His Glu Gly Lys Val Leu His Tyr Arg Ile Asp Lys Asp Lys Thr Gly 210 215 220 Lys Leu Ser Ile Pro Glu Gly Lys Lys Phe Asp Thr Leu Trp Gln Leu 225 230 235 240 45 Val Glu His Tyr Ser Tyr Lys Ala Asp Gly Leu Leu Arg Val Leu Thr
245 250 255 50 Val Pro Cys Gln Lys Ile Gly Thr Gln Gly Asn Val Asn Phe Gly Gly 260 265 270 Arg Pro Gln Leu Pro Gly Ser His Pro Ala Thr Trp Ser Ala Gly Gly 275 280 285 55 Ile Ile Ser Arg Ile Lys Ser Tyr Ser Phe Pro Lys Pro Gly His Arg 290 295 300 Lys Ser Ser Pro Ala Gln Gly Asn Arg Gln Glu Ser Thr Val Ser Phe 305 310 315 320 60 Asn Pro Tyr Glu Pro Glu Leu Ala Pro Trp Ala Ala Asp Lys Gly Pro 325 330 335 65 Gln Arg Glu Ala Leu Pro Met Asp Thr Glu Val Tyr Glu Ser Pro Tyr Ala Asp Pro Glu Glu Ile Arg Pro Lys Glu Val Tyr Leu Asp Arg Lys 355 360 365

Leu Leu Thr Leu Glu Asp Lys Glu Leu Gly Ser Gly Asn Phe Gly Thr 370 375 3805 Val Lys Lys Gly Tyr Tyr Gln Met Lys Lys Val Val Lys Thr Val Ala 385 390 395 400 Val Lys Ile Leu Lys Asn Glu Ala Asn Asp Pro Ala Leu Lys Asp Glu 10 Leu Leu Ala Glu Ala Asn Val Met Gln Gln Leu Asp Asn Pro Tyr Ile 15 Val Arg Met Ile Gly Ile Cys Glu Ala Glu Ser Trp Met Leu Val Met Glu Met Ala Glu Leu Gly Pro Leu Asn Lys Tyr Leu Gln Gln Asn Arg 20 His Val Lys Asp Lys Asn Ile Ile Glu Leu Val His Gln Val Ser Met Gly Met Lys Tyr Leu Glu Glu Ser Asn Phe Val His Arg Asp Leu Ala 25 Ala Arg Asn Val Leu Leu Val Thr Gln His Tyr Ala Lys Ile Ser Asp 500 500 505 30 Phe Gly Leu Ser Lys Ala Leu Arg Ala Asp Glu Asn Tyr Tyr Lys Ala 515 520 525Gln Thr His Gly Lys Trp Pro Val Lys Trp Tyr Ala Pro Glu Cys Ile 530 540 35 Asn Tyr Tyr Lys Phe Ser Ser Lys Ser Asp Val Trp Ser Phe Gly Val . . 555 550 Leu Met Trp Glu Ala Phe Ser Tyr Gly Gln Lys Pro Tyr Arg Gly Met 565 575 40 Lys Gly Ser Glu Val Thr Ala Met Leu Glu Lys Gly Glu Arg Met Gly 580 585 590 45 Cys Pro Ala Gly Cys Pro Arg Glu Met Tyr Asp Leu Met Asn Leu Cys 600 Trp Thr Tyr Asp Val Glu Asn Arg Pro Gly Phe Ala Ala Val Glu Leu 615 50 Arg Leu Arg Asn Tyr Tyr Tyr Asp Val Val Asn 625 630 630 55 <210> 10 <211> 1108 <212> DNA <213> Homo sapiens 60 <400> 10 gecagtgaat tegggggete ageceteete cetecettee ecetgettea ggetgetgag 60 caetgageag egeteagaat ggaagecate gecaaatatg actteaaage taetgeagae 120 gacgagctga gcttcaaaag gggggacatc ctcaaggttt tgaacgaaga atgtgatcag 180 aactggtaca aggcagagct taatggaaaa gacggcttca ttcccaagaa ctacatagaa 240 65 atgaaaccac atccgtggtt ttttggcaaa atccccagag ccaaggcaga agaaatgctt 300 agcaaacagc ggcacgatgg ggcctttctt atccgagaga gtgagagcgc tcctggggac 360 ttctccctct ctgtcaagtt tggaaacgat gtgcagcact tcaaggtgct ccgagatgga 420 gccgggaagt acttcctctg ggtggtgaag ttcaattctt tgaatgagct ggtggattat 480

5	cacagateta catetgtete cagaaaceag cagatattee tge ceacageage egacataegt eeaggeeete tttgaettga tee tgggetteeg eeggggagat tttateeatg teatggataa ete aggagettge eaegggeaga eeggeatgtt teeeegeaat tat gaaegtetaa gagteaagaa geaattatt aaagaaagta aaa aaagaattaa accacaage tgeetetgae ageageetgt gag geegggteae eetgtgaeee teteaetttg gttggaaett tag tggatttaaa aatgeeaaaa ettaeetata aattaagaag agt	ccaggag gatggagage 600 agacccc aactggtgaa 660 gtcaccc ccgtgaaccg 720 aatgtaa aacacataca 780 ggagtgc agaacacctg 840 ggggtgg gaggggcgt 900 ttttatt acaaatttc 960
10	actgetgete eteettteee eteetttgte ttttttttea tee ateagtgeat gaegtttaag gecaegtata gteetagetg aeg gaaaccaaaa aaaaaaaaee egaattea	
15	<210> 11 <211> 176 <212> PRT <213> Homo sapiens	
20	<400> 11 Met Glu Ala Ile Ala Lys Tyr Asp Phe Lys Ala Thr 1 5 10	Ala Asp Asp Glu 15
	Leu Ser Phe Lys Arg Gly Asp Ile Leu Lys Val Leu 20 25	Asn Glu Glu Cys 30
25	Asp Gln Asn Trp Tyr Lys Ala Glu Leu Asn Gly Lys 35 40	Asp Gly Phe Ile
20	Pro Lys Asn Tyr Ile Glu Met Lys Pro His Pro Phe 50 55 60	•
30	Gln His Phe Lys Val Leu Arg Asp Gly Ala Gly Lys 65 70 75	Tyr Phe Leu Trp 80
35	Val Val Lys Phe Asn Ser Leu Asn Glu Leu Val Asp 85 90	Tyr His Arg Ser 95
	Thr Ser Val Ser Arg Asn Gln Gln Ile Phe Leu Arg	Asp Ile Glu Gln 110
40	Val Pro Gln Gln Pro Thr Tyr Val Gln Ala Leu Phe 115 120	Asp Phe Asp Pro 125
45	Gln Glu Asp Gly Glu Leu Gly Phe Arg Arg Gly Asp 130 135	
	Met Asp Asn Ser Asp Pro Asn Trp Trp Lys Gly Ala 145 150 155	a Cys His Gly Gln 160
50	Thr Gly Met Phe Pro Ary Asn Tyr Val Thr Pro Val	Asn Arg Asn Val 175
55	<210> 12 <211> 2758 <212> DNA <213> Homo sapiens	·
60	<400> 12 ctaggetttt geaaaaaget teaegetgee geaageacte agg ggaageggaa caegtagaaa geeagteege agaaaeggtg etg getaetggge tatetggaea agggaaaaeg caagegeaaa gag ttaagaacat tagaacette etgteeacet getgtgagaa gto	gacceegg atgaatgtea 120 gaaageag tteetgtgee 180 teggeete aageggageg 240
65	agetettega ageetttgae etettegatg tgeaggattt tge tgtetgetet gteetggaee eegategeee agaacaggg ga aggaggagag tgtaggtgat gaagacatet acagtggeet gte eggtggagga ggatgaggae etgtatgaet gegtggagaa tge agatetatga ggaceteatg egeteggage eegtgteeat ge atgacaageg etgetgetge etgegggaga tecageagae gg	teatgeee tteeceaceg 360 cegaceag ategacgaca 420 aggaggeg gaaggegacg 480 egeceaag atgacagagt 540

```
cgctgggctc catccagcag catttcttga agcccctgca acggttcctg aaacctcaag 660
           acattgagat catctttatc aacattgagg acctgcttcg tgttcatact cacttcctaa 720
          aggagatgaa ggaagccctg ggcacccctg gcgcaccgaa tctctaccag gtcttcatca 780 aatacaagga gaggttcctc gtctatggcc gctactgcag ccaggtggag tcagccagca 840
 5
          aacacctgga ccgtgtggcc gcagcccggg aggacgtgca gatgaagctg gaggaatgtt 900 ctcagagagc caacaacggg aggttcactg cgcgacctgc tgatggtgcc tatgcagcga 960
           gttctcaaat atcacctcct tctccaggag ctggtgaaac acacgcagga ggcgatggag 1020
          caaggaaact geggetggee etggatgeea tgagggaeet ggeteagtge gtgaacgagg 1080 tcaagegaga caacgagaea etgegaeaga teaccaattt ecagetgtee attgagaace 1140
          10
15
           agaagtggat ggagcagttt gagatggcca tetecaacat etateeggag aatgecaeeg 1500
           ccaacgggca tgacttccag atgttetect ttgaggagac cacatectge aaggeetgte 1560
          agatgetget tagaggtace ttetateagg getacegetg ceateggtge egggeatetg 1620 cacacaagga gtgtetgggg agggteete catgtggeeg acatgggeaa gattteecag 1680
           gaactatgaa gaaggacaaa ctacategca gggctcagga caaaaagagg aatgagctgg 1740
20
          gtctgcccaa gatggaggtg tttcaggaat actacgggct tcctccaccc cctggagcca 1800
          ttggaccett tetaeggete aaccetggag acattgtgga geteaegaag getgaggetg 1860 aacagaactg gtgggaggge agaaatacat etaetaatga aattggetgg ttteettgta 1920 acagggtgaa gecetatgte catggeete eteaggacet getegtteat eteegtgaeg 1980
          caggececat ggagegggea ggggeagaga geateetgge caacegeteg gaegggaett 2040 tettggtgeg geagagggtg aaggatgeag cagaatttge cateageatt aaatataacg 2100
25
          tcttggtgcg gcagaggtg aaggatgcag cagaatttgc catcagcatt aaatataacg 2100
tcgaggtcaa gcacacggtt aaaatcatga cagcagaagg actgtaccgg atcacagagg 2160
aaaaggcttt ccgggggctt acggagttgt tggagtttta ccagcagaac tctctaaagg 2220
attgcttcaa gtctctggac accaccttgc agttccctt caaggagct gaaaagaga 2280
ccatcagcag gccagcagtg ggaagcaca agtattttgg cacagccaaa gcccgctatg 2340
acttctgcgc ccgtgaccgt tcagagctgt cgctcaagga gggtgacatc atcaagatcc 2400
tcaacaagaa gggaagaacga gacgtgtggc gaggggagat ctatggccgg gtgcttggc 2520
agaagaagacga gaaactccag gctctgagcc cggcgtggcg aggcagcgga ccaggggct 2580
tcacagctcc ggcgdtgaa aacttttgga aagactact gagccagcg tcagggct 2580
30
          tgacagetee ggegggtgga gaetttggga tggaetggag gaggeeageg tecagetgge 2640 ggtgeteeeg ggatgtgeee tgacatggtt aatttataac acceegattt teetettggg 2700
35
           tececteaag cagaeggggg etcaaggggg ttacatttta ataaaaggat gaagatgg
           <210> 13
           <211> 797
40
           <212> PRT
           <213> Homo sapiens
          Met Asn Val Ser Tyr Trp Ala Ile Trp Thr Arg Glu Asn Ala Ser Ala
45
          Lys Arg Lys Gln Phe Leu Cys Leu Lys Asn Ile Arg Thr Phe Leu Ser 20 25 30
50
          Thr Cys Cys Glu Lys Phe Gly Leu Lys Arg Ser Glu Leu Phe Glu Ala
          Phe Asp Leu Phe Asp Val Gln Asp Phe Gly Lys Val Ile Tyr Thr Leu 50 60
55
           Ser Ala Leu Ala Trp Thr Pro Ile Ala Gln Asn Arg Gly Ile Met Pro
           Phe Pro Thr Glu Glu Glu Ser Val Gly Asp Glu Asp Ile Tyr Ser Gly
60
           Leu Ser Asp Gln Ile Asp Asp Thr Val Glu Glu Asp Glu Asp Leu Tyr
65
           Asp Cys Val Glu Asn Glu Glu Ala Glu Gly Asp Glu Ile Tyr Glu Asp
           Leu Met Arg Ser Glu Pro Val Ser Met Pro Pro Lys Met Thr Glu Tyr
```

135 Asp Lys Arg Cys Cys Leu Arg Glu Ile Gln Gln Thr Glu Glu Lys 145 150 155 160 5 Tyr Thr Asp Thr Leu Gly Ser Ile Gln Gln His Phe Leu Lys Pro Leu Gln Arg Phe Leu Lys Pro Gln Asp Ile Glu Ile Ile Phe Ile Asn Ile 10 Glu Asp Leu Leu Arg Val His Thr His Phe Leu Lys Glu Met Lys Glu 15 Ala Leu Cly Thr Pro Gly Ala Pro Asn Leu Tyr Gln Val Phe Ilc Lys 210 215 220 Tyr Lys Glu Arg Phe Leu Val Tyr Gly Arg Tyr Cys Ser Gln Val Glu 225 230 235 20 Ser Ala Ser Lys His Leu Asp Arg Val Ala Ala Arg Glu Asp Val 245 250 255 Gln Met Lys Leu Glu Glu Cys Ser Gln Arg Ala Asn Asn Gly Arg Phe 260 265 270 25 Thr Ala Arg Pro Ala Asp Gly Ala Tyr Ala Ala Ser Ser Gln Ile Ser 280 30 Pro Pro Ser Pro Gly Ala Gly Glu Thr His Ala Gly Gly Asp Gly Ala 290 295 300 Arg Lys Leu Arg Leu Ala Leu Asp Ala Met Arg Asp Leu Ala Gln Cys 305 310 315 32035 Val Asn Glu Val Lys Arg Asp Asn Glu Thr Leu Arg Gln Ile Thr Asn 325 330 335Phe Gln Leu Ser Ile Glu Asn Leu Asp Gln Ser Leu Ala His Tyr Gly 340 345 35040 Arg Pro Lys Ile Asp Gly Glu Leu Lys Ile Thr Ser Val Glu Arg Arg 355 \$360\$45 Ser Lys Met Asp Arg Tyr Ala Phe Leu Leu Asp Lys Ala Leu Leu Ile 370 375 380 Cys Lys Arg Arg Gly Asp Ser Tyr Asp Leu Lys Asp Phe Val Asn Leu 385 390 395 400 50 His Ser Phe Gln Val Arg Asp Asp Ser Ser Gly Asp Arg Asp Asn Lys Lys Trp Ser His Met Phe Leu Leu Ile Glu Asp Gln Gly Ala Gln Gly 420 425 430 55 Tyr Glu Leu Phe Phe Lys Thr Arg Glu Leu Lys Lys Lys Trp Met Glu 435 440 44560 Gln Phe Glu Met Ala Ile Ser Asn Ile Tyr Pro Glu Asn Ala Thr Ala Asn Gly His Asp Phe Gln Met Phe Ser Phe Glu Glu Thr Thr Ser Cys 65 Lys. Ala Cys Gln Met Leu Leu Arg Gly Thr Phe Tyr Gln Gly Tyr Arg 485 490 495

Cys His Arg Cys Arg Ala Ser Ala His Lys Glu Cys Leu Gly Arg Val 500 505 510 Pro Pro Cys Gly Arg His Gly Gln Asp Phe Pro Gly Thr Met Lys Lys 515 520 525 5 Asp Lys Leu His Arg Arg Ala Gln Asp Lys Lys Arg Asn Glu Leu Gly 10 Leu Pro Lys Met Glu Val Phe Gln Glu Tyr Tyr Gly Leu Pro Pro S45 550 555 560 Pro Gly Ala Ile Gly Pro Phe Leu Arg Leu Asn Pro Gly Asp Ile Val 565 570 575 15 Glu Leu Thr Lys Ala Glu Ala Glu Gln Asn Trp Trp Glu Gly Arg Asn 580 590 Thr Ser Thr Asn Glu Ile Gly Trp Phe Pro Cys Asn Arg Val Lys Pro 20 Tyr Val His Gly Pro Pro Gln Asp Leu Ser Val His Leu Trp Tyr Ala 25 Gly Pro Met Glu Arg Ala Gly Ala Glu Ser Ile Leu Ala Asn Arg Ser Asp Gly Thr Phe Leu Val Arg Gln Arg Val Lys Asp Ala Ala Glu Phe 645 650 65530 Ala Ile Ser Ile Lys Tyr Asn Val Glu Val Lys His Thr Val Lys Ile Met Thr Ala Glu Gly Leu Tyr Arg Ile Thr Glu Lys Lys Ala Phe Arg 675 680 685 35 Gly Leu Thr Glu Leu Val Glu Phe Tyr Gln Gln Asn Ser Leu Lys Asp 690 700 Cys Phe Lys Ser Leu Asp Thr Thr Leu Gln Phe Pro Phe Lys Glu Pro 705 710 715 720 40 Glu Lys Arg Thr Ile Ser Arg Pro Ala Val Gly Ser Thr Lys Tyr Phe 725 730 735 45 Gly Thr Ala Lys Ala Arg Tyr Asp Phe Cys Ala Arg Asp Arg Ser Glu 740 745 750 Leu Ser Leu Lys Glu Gly Asp Ile Ile Lys Ile Leu Asn Lys Lys Gly 755 760 765 50 Gln Gln Gly Trp Trp Arg Gly Glu Ile Tyr Gly Arg Val Gly Trp Phe
770 780 55 Pro Ala Asn Tyr Val Glu Glu Asp Tyr Ser Glu Tyr Cys <210> 14 60 <211> 3090 <212> DNA <213> Homo sapiens <400> 14 65 gaatteeggg eeeggatage eggeggegge ggeggeggeg geggeggeg eggeeggag 60 aggeeestee tteaegeest gettetetee etegetega gtegageega geeggeggae 120 ecgectgggc tecgacectg eccaggecat ggceggcaac gtgaagaaga getetgggge 180

egggggegge aegggeteeg ggggeteggg ttegggtgge etgattggge teatgaagga 240

```
egectteeag eegeaceace accaceacea ceaecteage eeceaecege eggggaeggt 300
       ggacaagaag atggtggaga agtgctggaa gctcatggac aaggtggtgc ggttgtgtca 360
       gaacccaaag ctggcgctaa agaatagccc accttatatc ttagacctgc taccagatac
        ctaccagcat ctccgtacta tcttgtcaag atatgagggg aagatggaga cacttggaga 480
 5
       aaatgagtat tttagggtgt ttatggagaa tttgatgaag aaaactaagc aaaccataag 540
       cctettcaag gagggaaaag aaagaatgta tgaggagaat tetcageeta ggegaaacet 600 aaccaaactg teecteatet teageeacat getggeagaa etaaaaggaa tetttecaag 660
       tggactcttt cagggagaca cattteggat tactaaagca gatgetgegg aattttggag aaaagetttt ggggaaaaga caatagteee ttggaagage tttegacagg etetacatga
                                                                                     720
                                                                                     780
10
       agtgcatece atcagttetg ggetggagge catggetetg anatecacta ttgatetgae 840 etgenatgat tatatttegg tttttgaatt tgacatett accegaetet tteagecetg 900
        gteetetttg eteaggaatt ggaacageet tgetgtaaet eateetgget acatggettt 960
        tttgacgtat gacgaagtga aagctegget ceagaaatte atteacaaae etggeagtta
        tatetteegg etgagetgta etegtetggg teagtggget attgggtatg ttaetgetga 1080
15
        tgggaacatt ctccagacaa tccctcacaa taaacctctc ttccaagcac tgattgatgg 1140
        cttcagggaa ggcttctatt tgtttcctga tggacgaaat cagaatcctg atctgactgg 1200
        cttatgtgaa ccaactcccc aagaccatat caaagtgacc caggaacaat atgaattata 1260
        ctgtgagatg ggctccacat tccaactatg taaaatatgt gctgaaaatg ataaggatgt 1320
        aaagattgag ccctgtggac acctcatgtg cacatcctgt cttacatcct ggcaggaatc
                                                                                     1380
20
        agaaggtcag ggctgtcctt tctgccgatg tgaaattaaa ggtactgaac ccatcgtggt 1440
       agatecgttt gatectagag ggagtggeag cetgttgagg caaggageag agggagetee 1500 ctececaaat tatgatgatg atgatgatga aegagetgat gatactete teatgatgaa 1560 ggaattgget ggtgeeaagg tggaaeggee geetteteea tteteeatgg ceceacaage 1620 tteeettee ceggtgeeac caegaettga cettetgeeg cagegagtat gtgtteeete 1680
25
        aagtgettet getettggaa etgettetaa ggetgettet ggeteeette ataaagacaa
                                                                                     1740
        accattgcca gtacctccca cacttegaga tettecacca ccacegeete cagaceggee 1800
        atattetgtt ggageagaat eeegaeetea aagaegeeee ttgeettgta eaceaggega 1860
        etgteeetee agagacaaac tgeeeeetgt eccetetage egeettggag acteatgget
                                                                                     1920
        gccccggcca atccccaaag taccagtatc tgccccaagt tccagtgatc cctggacagg
                                                                                     1980
30
        aagagaatta accaacegge acteaettee atttteattg ceetcacaaa tggageecag
                                                                                     2040
        accagatgtg cotaggeteg gaageacgtt cagtetggat acctecatga gtatgaatag
                                                                                     2100
        cagoccatta gtaggtocag agtgtgacca coccaaaato aaacottoot catotgocaa
                                                                                     2160
        tgccatttat tetetggetg ceagacetet teetgtgeea aaaetgeeae etggggagea
                                                                                     2220
        atgtgagggt gaagaggaca cagagtacat gactecetet tecaggeete taeggeettt
35
        ggatacatoc cagagiticac gagcatgiga tigogaccag cagatigata goigtacgia 2340
        tgaagcaatg tataatatte agteeeagge gecatetate acegagagea geacetttgg
        tgaagggaat ttggccgcag cccatgccaa cactggtccc gaggagtcag aaaatgagga
        tgatgggtat gatgtcccaa agccacctgt gccggccgtg ctggcccgcc gaactetete
        agatatetet aatgecaget ceteettigg etggitgtet etggatggig atcetacaac 2580
40
        aaatgtcact gaaggttccc aagttcccga gaggcctcca aaaccattcc cgcggagaat
        caactotgaa oggaaagetg goagetgtoa goaaggtagt ggtootgoog cototgotgo
        caccgcctca cctcagctct ccagtgagat cgagaacctc atgagtcagg ggtactccta ccaggacatc cagaaagctt tggtcattgc ccagaacaac atcgagatgg ccaaaaacat
                                                                                     2760
        ceteegggaa titgtiteea titettetee tgeeeatgta getaeetage acaecatete
                                                                                     2880
45
        cctgctgcag gtttagagga ccagtgagtt gggagttatt actcaagtgg cacctagaag 2940
        ggcaggagtt cctttggtga cttcacagtg aagtcttgcc ctctctgtgg gatatcacat
                                                                                     3000
        cagtggttcc aagatttcaa agtggtgaaa tgaaaatgga gcagctagta tgttttatta
                                                                                     3060
        ttttatgggt cttgagtgca tttgaaggtg
                                                                                      3090
50
        <210> 15
        <211> 906
        <212> PRT
        <213> Homo sapiens
55
        <400> 15
        Met Ala Gly Asn Val Lys Lys Ser Ser Gly Ala Gly Gly Gly Thr Gly
        Ser Gly Gly Ser Gly Ser Gly Gly Leu Ile Gly Leu Met Lys Asp Ala
60
```

	Phe	Gln	Pro 35	His	His	His	His	His 40	His	His	Leu	Ser	Pro 45	His	Pro	Pro
5	Gly	Thr 50	Val	Asp	Lys	Lys	Met 55	Val	Glu	Lys	Cys	Trp 60	Lys	Leu	Met	Asp
	Lys 65	Val	Val	Arg	Leu	Cys 70	Gln	Asn	Pro	Lys	Leu 75	Ala	Leu	Lys	Asn	Ser 80
10	Pro	Pro	Tyr	Ile	Leu 85	Asp	Leu	Leu	Pro	Asp 90	Thr	Tyr	Gln	His	Leu 95	Arg
15	Thr	Ile	Leu	Ser 100	Arg	Tyr	Glu	Gly	Lys 105	Met	Glu	Thr	Leu	Gly 110	Glu	Asn
13	Glu	Tyr	Phe 115	Arg	Val	Phe	Met	Glu 120	Asn	Leu	Met	Lys	Lys 125	Thr	Lys	Gln
20	Thr	Ile 130	Ser	Leu	Phe	Lys	Glu 135	Gly	Lys	Glu	Arg	Met 140	Tyr	Glu	Glu	Asn
	Ser 145	Gln	Pro	Arg	Arg	Asn 150	Leu	Thr	Lys	Leu	Ser 155	Leu	Ile	Phe	Ser	His 160
25	Met	Leu	Ala	Glu	Leu 165	Lys	Gly	Ile	Phe	Pro 170	Ser	Gly	Leu	Phe	Gln 175	Gly
30	Asp	Thr	Phe	Arg 180	Ile	Thr	Lys	Ala	Asp 185	Ala	Ala	Glu	Phe	Trp 190	Arg	Lys
50	Ala	Phe	Gly 195	Glu	Lys	Thr	Ile	Val 200	Pro	Trp	Lys	Ser	Phe 205	Arg	Gln	Ala
35	Leu	His 210		Val	His	Pro	Ile 215	Ser	Ser	Gly	Leu	Glu 220	Ala	Met	Ala	Leu
	225					230					235					Glu 240
40					245					250					255	
45				260					265					270		Leu
			275					280					285			Pro
50		290	)				295	,				300				Ala
	305	•				310	)				315	•				His 320
55					325	5				330	)				335	
60				340	)				345	5				350	)	/ Leu
	_		355	5				360	)				369	•		ı Tyr
65		370	0				37	5				380	)			e Cys
	Al:		u Ası	n Asj	р Гу	s As <sub>1</sub>		l Ly:	s Il	e Gl	u Pro 39!	o Cys	s Gl	y His	s Le	400

	Cys	Thr	Ser	Cys	Leu 405	Thr	Ser	Trp	Gln	Glu 410	Ser	Glu	Gly	Gln	Gly 415	Cys
5	Pro	Phe	Cvs	Arg 420	Cys	Glu	Ile	Lys	Gly 425	Thr	Glu	Pro	Ile	Val 430	Val	Asp
	Pro	Phe	Asp 435	Pro	Arg	Gly	Ser	Gly 440	Ser	Leu	Leu	Arg	Gln 445	Gly	Ala	Glu
10	Gly	Ala 450	Pro	Ser	Pro	Asn	Tyr 455	Asp	Asp	Asp	Asp	Asp 460	Glu	Arg	Ala	Asp
15	Asp 465	Thr	Leu	Phe	Met	Met 470	Lys	Glu	Leu	Ala	Gly 475	Ala	Lys	Val	Glu	Arg 480
	Pro	Pro	Ser	Pro	Phe 485	Ser	Met	Ala	Pro	Gln 490	Ala	Ser	Leu	Pro	Pro 495	Val
20	Pro	Pro	Arg	Leu 500	Asp	Leu	Leu	Pro	Gln 505	Arg	Val	Cys	Val	Pro 510	Ser	Ser
	Ala	Ser	Ala 515	Leu	Gly	Thr	Ala	Ser 520	Lys	Ala	Ala	Ser	Gly 525	Ser	Leu	His
25	Lys	Asp 530	Lys	Pro	Leu	Pro	Val 535	Pro	Pro	Thr	Leu	Arg 540	Asp	Leu	Pro	Pro
30	545	Pro				550		-			555				_	560
		Arg			565					570					575	
35		Leu		580					585					590		
10		Pro	595					600					605		_	
40		Thr 610					615					620				
45	625	Ser				630					635					640
		Ser			645					650					655	_
50		Glu		660					665					670		
e e		Tyr	675					680					685			
55		Glu 690					695					700				
60	705					710					715					Cys 720
		Cys			725					730				•	735	
65		Gln		740					745					750		
	Gly	Asn	Leu 755	Ala	Ala	Ala	His	Ala 760	Asn	Thr	Gly	Pro	Glu 765	Glu	Ser	Glu

	Asn	Glu 770	Asp	Asp	Gly	Tyr	Asp 775	Val	Pro	Lys	Pro	Pro 780	Val	Pro	Ala	Val
5	Leu 785	Ala	Arg	Arg	Thr	Leu 790	Ser	Asp	Ile	Ser	Asn 795	Ala	Ser	Ser	Ser	Phe 800
	Gly	Trp	Leu	Ser	Leu 805	Asp	Gly	Asp	Pro	Thr 810	Thr	Asn	Val	Thr	Glu 815	Glγ
10	Ser	Gln	Va]	Pro 820	Glu	Arg	Pro	Pro	Lys 825	Pro	Phe	Pro	Arg	Arg 830	Ile	Asr
	Ser	Glu	Arg 835	Lys	Ala	Gly	Ser	Cys 840	Gln	Gln	Gly	Ser	Gly 845	Pro	Ala	Ala
15	Ser	Ala 850	Ala	Thr	Ala	Ser	Pro 855	Gln	Leu	Ser	Ser	Glu 860	Ile	Glu	Asn	Lev
20	Met 865		Gln	Gly	Tyr	Ser 870	Tyr	Gln	Asp	Ile	Gln 875	Lys	Ala	Leu	Val	11e 880
	Ala	Gln	Asn	Asn	Ile 885	Glu	Met	Ala	Lys	Asn 890	Ile	Leu	Arg	Glu	Phe 895	۷a
25	Ser	Ile	Ser	Ser		Ala	His	Val	Ala 905	Thr						

1999-418926/35 B04 D16 USSH 1997.12.23 US DEPT HEALTH & HUMAN SERVICES \*WO 09932627-A2 1997.12.23 1997-068690(+1997US-068690) (1999.07.01) C12N 15/12, C07K 14/705, C12N 15/62, G01N 33/50, 33/53, C12Q 1/68, C07K 16/28

Linker for activation of T cell protein used to, e.g. screen for modulators of T cell signaling (Eng)

C1999-123167 N(AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ VN YU ZW) R(AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG ZW)

Addnl. Data: SAMELSON L E, ZHANG W 1998.12.23 1998WO-US27400

NOVELTY

Isolated polypeptide (I) comprises a part the human LAT (linker for activation of T cells) protein sequence.

**DETAILED DESCRIPTION** 

B(4-CIG, 4-E2F, 4-G1, 4-N2A, 14-A1, 14-C3, <u>14-G2A</u>, <u>14-G3</u>, 14-H1) D(5-H9, 5-H11, 5-H12A, 5-H12D2, 5-H17A6) .8

(I) comprises at least part of the 233 amino acid (aa) sequence (S1) (given in the specification), of the human LAT (linker for activation of T cells) protein.

INDEPENDENT CLAIMS are also included for the following: (1) a purified antibody (Ab) that binds specifically to (I);

(2) isolated nucleic acid (II) that encodes (S1), or its complement;(3) method of screening compounds for modulation of interaction between (I) and a LAT-binding ligand;

(4) method for detecting (I) by reaction with Ab; and

(5) method for detecting (II) by hybridization.

ACTIVITY

Immunomodulatory; antimicrobial; anticancer; anti-inflammatory; anti-allergic.

**MECHANISM OF ACTION** 

Modulation of interaction between (I) and the T-cell receptor (TCR) affects the TCR signaling pathway. LAT is a substrate for

WO 09932627-A+

tyrosine kinases and becomes phosphorylated after TCR engagement, esulting in recruitment of other signaling molecules.

<u>USE</u>

(I) is used to identify and test (ant)agonists of tyrosine kinase signaling pathways, i.e. modulation of interaction between tyrosine kinase substrates and intracellular ligands or between these ligands and other members of the pathway, including identification of downstream signaling proteins, particularly in immune system cells. These modulators are potentially useful as drugs and diagnostic agents, particularly for diseases that involve undesirable cell growth, differentiation, proliferation or T cell anergy, e.g. neoplasia, inflammation, hypersensitivity/allergy, microbial infection, metabolic, genetic or autoimmune diseases, graft rejection. (I) is also used to generate specific antibodies, used for detection of LAT. Nucleic acid (II) that encodes (I), or its fragments, are used to identify homologous sequences in other species; to detect the LAT gene and as sources of antisense therapeutics.

**ADVANTAGE** 

Modulators of (I) are potentailly more specific and less toxic than known immunosuppressants such as cyclosporin.

**ADMINISTRATION** 

Modulators of (I) are administered parenterally, e.g. at 10-1000 µg/kg.

**EXAMPLE** 

cDNA encoding human LAT (linker for activation of T cells) protein was fused to a myc tag-encoding sequence, then cloned into pcDNA3 for transfection of 293T cells. Immunoblotting with the antimyc antibody 9E10 indicated presence of a 40 kDa protein in transfected cells only, showing that the cDNA contained the entire coding region.

**TECHNOLOGY FOCUS** 

Biotechnology - Preferred Polypeptides: (1) includes at least one tyrosine residue and is particularly as 28-233 (the cytosolic domain). (S1) has 10 tyrosine residues in the predicted cytosolic domain and 5 potential binding sites for the Grb2 SH2 domain.

Preferred Nucleic Acid: (S1) is encoded by a 1059 bp sequence (S2) (given in the specification), and this may be part of an expression vector, optionally present inside a host cell.

WO 09932627-A+/1

### 1999-418926/35

Preparation: LAT was purified from Jurkat E6.1 cells that had been stimulated with OKT3 ascites, then digested with trypsin and peptide fragments sequenced. The information obtained was used to search the GenBank database and an expressed sequence tag clone (from human fetal heart) identified. A fragment of this clone was used to screen a cDNA library from YT cells and a 1.6 kb fragment identified. It included an open reading frame for (4). LAT mRNA is detected mainly in the thymus and peripheral blood, and at a low level in the spleen. Once isolated, the cDNA can be expressed in vitro or cloned into conventional expression vectors.

Biology - Preferred Methods: In method (3), (I), which can bind a LAT-binding ligand (L); (L) and at least one test compound are incubated together and the extent of (I)-(L) binding measured. Particularly (L) is a tyrosine kinase, specifically ZAP-70 or Syk, and (I) is particularly part of a fusion protein. In method (4), Ab is monoor poly-clonal and the test sample includes lymphocytes. In method (5), the test material is RNA or DNA, particularly from lymphocytes, and detection of a hybridization complex is correlated with expression of the LAT gene in these cells.

Preparation: Ab are produced by conventional immunization with LAT

(or its mutants, fragments) and/or cell fusion methods.
Organic Chemistry - Preparation: Fragments of LAT, and
oligonucleotide fragments of (II), are produced by usual methods of
chemical synthesis.

(124pp1251DwgNo.0/16)

WO 09932627-A/2

THIS PAGE BLANK (USP10;

```
ID
     AAX89078 standard; DNA; 2758 BP.
XX
AC
     AAX89078;
XX
     14-SEP-1999 (first entry)
DT
XX
DE
     Nucleotide sequence of human Vav.
XX
     LAT; tyrosine kinase; linker for activation of T cell; TCR; human;
KW
KW
     T-cell receptor; TCR signalling pathway; neoplasia; inflammation;
KW
     hypersensitivity; allergy; microbial infection; genetic disease;
     autoimmune disease; graft rejection; modulator; Vav; ss.
KW
XX
os
     Homo sapiens.
XX
PN
     WO9932627-A2.
XX
PD
     01-JUL-1999.
XX
PF
     23-DEC-1998;
                    98WO-US27400.
XX
PR
     23-DEC-1997;
                    97US-0068690.
XX
PA
     (USSH ) US DEPT HEALTH & HUMAN SERVICES.
XX
ΡI
     Samelson LE, Zhang W;
XX
DR
     WPI; 1999-418926/35.
DR
     P-PSDB; AAY27125.
XX
PT
     Linker for activation of T cell protein used to, e.g. screen for
PT
     modulators of T cell signalling
XX
PS
     Disclosure; Fig 11A; 125pp; English.
```

THIS PAGE [ " (USF

```
AAY27125 standard; Protein; 797 AA.
ID
XX
AC
     AAY27125;
XX
DT
     14-SEP-1999 (first entry)
XX
DE
     Amino acid sequence of human Vav.
XX
KW
     LAT; tyrosine kinase; linker for activation of T cell; TCR; human;
     T-cell receptor; TCR signalling pathway; neoplasia; inflammation;
KW
KW
     hypersensitivity; allergy; microbial infection; genetic disease;
     autoimmune disease; graft rejection; modulator; Vav.
KW
XX
OS
     Homo sapiens.
XX
PN
     WO9932627-A2.
XX
PD
     01-JUL-1999.
XX
PF
     23-DEC-1998;
                    98WO-US27400.
XX
PR
     23-DEC-1997;
                    97US-0068690.
XX
     (USSH ) US DEPT HEALTH & HUMAN SERVICES.
PA
XX
PΙ
     Samelson LE, Zhang W;
XX
DR
     WPI; 1999-418926/35.
DR
     N-PSDB; AAX89078.
xx
     Linker for activation of T cell protein used to, e.g. screen for
PT
     modulators of T cell signalling
PT
XX
PS
     Disclosure; Fig 11B; 125pp; English.
XX
CC
     The invention relates to a protein tyrosine kinase substrate LAT (linker
CC
     for activation of T cells) protein. Modulation of interaction between LAT
     and the T-cell receptor (TCR) affects the TCR signalling pathway. LAT is
CC
CC
     a substrate for tyrosine kinases and becomes phosphorylated after TCR
     engagement, resulting in recruitment of other signalling molecules. LAT
CC
     is used to identify and test (ant)agonists of tyrosine kinase signalling pathways, i.e. modulation of interaction between tyrosine kinase
CC
CC
     substrates and intracellular ligands or between these ligands and other
CC
CC
     members of the pathway, including identification of downstream signalling
CC
     proteins, particularly in immune system cells. These modulators are
     potentially useful as drugs and diagnostic agents, particularly for
CC
CC
     diseases that involve undesirable cell proliferation, differentiation,
CC
     growth or T cell anergy, e.g. neoplasia, inflammation, hypersensitivity/
     allergy, microbial infection, metabolic, genetic or autoimmune diseases,
CC
CC
     graft rejection. LAT is also used to generate specific antibodies, used
CC
     for detection of LAT. Nucleic acid that encodes LAT, or its fragments,
CC
     are used to identify homologous sequences in other species; to detect the
CC
     LAT gene and as sources of antisense therapeutics. Modulators of LAT are
CC
     potentially more specific and less toxic than known immunosuppressants
CC
     such as cyclosporin. The present sequence represents the amino acid
CC
     sequence of human Vav.
XX
SQ
     Sequence
                797 AA;
SQ
     54 A; 56 R; 29 N; 50 D; 0 B; 21 C; 37 Q; 70 E; 0 Z; 51 G; 16 H;
SQ
     38 I; 66 L; 57 K; 18 M; 41 F; 35 P; 44 S; 37 T; 12 W; 32 Y; 33 V;
     0 Others;
     mnvsywaiwt renasakrkq flclknirtf lstccekfgl krselfeafd lfdvqdfgkv
     iytlsalawt piaqnrgimp fpteeesvgd ediysglsdq iddtveeded lydcveneea
     egdeiyedlm rsepvsmppk mteydkrccc lreiqqteek ytdtlgsiqq hflkplqrfl
```

THIS PAGE BLANK (USPTO)

kpqdieiifi niedllrvht hflkemkeal gtpgapnlyq vfikykerfl vygrycsqve saskhldrva aaredvqmkl eecsqranng rftarpadga yaassqispp spgagethag gdgarklrla ldamrdlaqc vnevkrdnet lrqitnfqls ienldqslah ygrpkidgel kitsverrsk mdryaflldk allickrrgd sydlkdfvnl hsfqvrddss gdrdnkkwsh mflliedqga qgyelffktr elkkkwmeqf emaisniype natanghdfq mfsfeettsc kacqmllrgt fyqgyrchrc rasahkeclg rvppcgrhqq dfpgtmkkdk lhrraqdkkr nelglpkmev fqeyyglppp pgaigpflrl npgdiveltk aeaeqnwweg rntstneigw fpcnrvkpyv hgppqdlsvh lwyagpmera gaesilanrs dgtflvrqrv kdaaefaisi kynvevkhtv kimtaeglyr itekkafrgl telvefyqqn slkdcfksld ttlqfpfkep ekrtisrpav gstkyfgtak arydfcardr selslkegdi ikilnkkgqq gwwrgeiygr vgwfpanyve

11

THIS PAGE BLANK (USPTO)